

Page 1 of 6 PBP-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 3/14/2017 SDS Revision: 2.0 **1. PRODUCT & COMPANY IDENTIFICATION** 11 Product Name ABC BLACKENER 1.2 Chemical Name: Acid Mixture 1.3 Synonyms 45910, 45911 1.4 Trade Names: ABC Blackener 1.5 Product Use: Blackening Solution for Non-Ferrous Metals Distributor's Name: 1.6 Precision Brand Products, Inc. 2250 Curtiss Street, Downers Grove IL 60515 USA 1.7 Distributor's Address: 18 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (630) 969-7200 / +1 (630) 969-0310 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. Classification: Acute Tox. 3; Skin Corr. 1A; Serious Eye Dam. 1; Chronic Aquatic Tox. 1; STOT RE1. Label Elements: 2.2 Hazard Statements (H): H301 - Toxic if swallowed. H314 - Causes severe skin burns and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. H272 -May intensify fire; oxidizer. H410 - Very toxic to aquatic life with long lasting effects. Precautionary Statements (P): P220 - Keep/Store away from clothing/ combustible materials. P273 - Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 - Dispose of contents/ container to an approved waste disposal plant. Other Warnings: 2.3 In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-FS-FS-CHEMICAL NAME(S) RTECS No. EINECS No. τιν STEL PEAK PFI STEI IDLH OTHER CAS No TWA STEL % 7732-18-5 ZC0110000 231-791-2 60-100 NA NA NF NF NF NA NA NA WATER 16872-11-0 NA 240-898-3 10-30 NA NA NF NF NF NA NA NA FLUOBORIC ACID Acute Toxicity-Oral 3; Skin Corrosion 1A; Serious Eye Damage 1; H301, H314 7758-99-8 NA NA 5-10 (1) NA NF NF NF (1) NA 1000 CUPRIC SULFATE Acute Toxicity 4; H302 7783-00-8 VS7175000 231-974-7 1-5 (0.2) NA (0.2) NF NF (0.2) NA NA SELENIOUS ACID Acute Toxicity-Inh 3; Acute Toxicity-Oral 3; STOT-Repeated Exp 2; Acute Aquatic Toxicity 1; Chronic Aquatic Toxicity 1; H301, H331, H400, H410 (1) (3) NF NF NF NA NA 1000 7664-38-2 TB6300000 231-633-2 1-5 PHOSPHORIC ACID Metal Corrosion 1; Skin Corrosion1B; H290, H314 QR9600000 (0.1) NA NF NF NF (1) NA 7786-81-4 232-104-9 0.1-1 NA Acute Toxicity 4; Skin Irritation 2; Skin Sensitization 1; Respiratory Sensitization 1; Mutagenic 2; Carcinogenic 1A; NICKEL SULFATE Reproductive Toxicity 1B; Specific Target Organ Toxicity – Repeated Exposure 1; Acute Aquatic Toxicity 1; Chronic Aquatic Toxicity 1; H302, H315, H317, H332, H334, H350i, H360D, H372, H400, H410



Page 2 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Rev

SDS Revision: 2.0 SDS

SDS Revision Date: 3/14/2017

			4. FIRST AID MEASURES				
4.1	First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Contact SafetyCall +1 (8 Center or local emergency telephone number for assistance attention. If vomiting occurs spontaneously, keep victim's aspiration.	head lower	ctions. See ed (forward)	k immediate to reduce th	e medica ne risk o
		<u>Eyes</u> :	If product gets in the eyes, flush eyes thoroughly with copi holding eyelid(s) open to ensure complete flushing. If the e use, consult a physician or emergency room immediately.				
		<u>Skin</u> :	Remove contaminated clothing and wash affected areas and/or the skin reaction worsens, contact a physician imr until after it has been properly cleaned.	with soap a nediately. Do	and water. I o not wear c	f discomfort ontaminated	persist clothin
		Inhalation:	Remove victim to fresh air at once. Under extreme correspiration. Seek immediate medical attention.	onditions, if	breathing sto	ops, perforn	n artifici
4.2	Effects of Exposure:	<u>Eves</u> : <u>Skin</u> : Ingestion: Inhalation:	Severe or permanent eye damage. Burns upon direct contact. Severe burns of mouth, throat, stomach. Severe irritation or burns in respiratory tract and mucous me	embranes P	ossible luna (damage	
4.3	Symptoms of Overexposure:	<u>Eyes</u> : <u>Skin</u> : <u>Ingestion</u> : <u>Inhalation</u> :	Redness, burning, irritation, and swelling around eyes Redness, burning, itching, rash, blistering of skin. Nausea, vomiting, severe abdominal pain. Coughing, wheezing, swelling of throat, irritation in mucous		Ĩ		
4.4	Acute Health Effects:		mful if inhaled. Material is extremely destructive to the tact. May be harmful if swallowed. Causes burns. May be harr	ssue of the	mucous me	embranes a	nd upp
4.5	Chronic Health Effects:		the nervous system, kidney and/or liver.				
4.6	Target Organs:		Vervous System, Kidneys, Liver, Respiratory System, Spleen,	Blood Formi	ng Organs, B	Bones.	
4.7	Medical Conditions Aggravated by Exposure:	organs (eyes	dermatitis, other skin conditions, and disorders of the target s, skin, respiratory system, liver, blood-forming organs) or ney function may be more susceptible to the effects of this	HEALTH FLAMMA PHYSICA	BILITY L HAZARD	S	3 0 2
				PROTECT	TIVE EQUIF	PMENT	H
				EYES	SKIN	LUNGS	
4.8	Notes to Physician:	should be co	contains <u>Selenious Acid</u> and is potentially fatal if ingested onsidered in asymptomatic or minimally symptomatic patient nulti-organ failure may occur. 24/7 medical toxicology consult	s as delayed	I toxic effects	including p	ulmona
			5. FIREFIGHTING MEASURES				
5.1	Fire & Explosion Hazards:		ble. May react with metals to release hydrogen gas, which	can form ev	olosive mixtu	res	
		with air. May	/ intensity fire; oxidizer.			100	
5.2	Extinguishing Methods:	Use fire-extin	v intensity fire; oxidizer. nguishing media appropriate for surrounding materials.				
5.2	Extinguishing Methods: Firefighting Procedures:	Use fire-extin As with any approved or as for surro degradation and/or deriva fire is out. L	v intensity fire; oxidizer. aguishing media appropriate for surrounding materials. fire, firefighters should wear appropriate protective equipme equivalent self-contained breathing apparatus (SCBA) and p bunding materials. Hazardous decomposition products may produce oxides of carbon, phosphorous, selenium an tives. Fire should be fought from a safe distance. Keep conta Jse water spray to cool fire-exposed surfaces and to protect ff from fire control or dilution from entering sewers, drains, or	nt including a rotective clot may be rele d/or nitroger ainers cool u personal. F	a MSHA/NIO thing. Fight fi eased. Therr n, hydrocarbo ntil well after ight fire upwi	SH res mal ons the nd.	2
		Use fire-extin As with any approved or as for surro degradation and/or deriva fire is out. L Prevent runo natural water	v intensity fire; oxidizer. aguishing media appropriate for surrounding materials. fire, firefighters should wear appropriate protective equipme equivalent self-contained breathing apparatus (SCBA) and p bunding materials. Hazardous decomposition products of may produce oxides of carbon, phosphorous, selenium and tives. Fire should be fought from a safe distance. Keep contain Jse water spray to cool fire-exposed surfaces and to protect off from fire control or dilution from entering sewers, drains, of way.	nt including a rotective clot may be rele d/or nitroger ainers cool u personal. F drinking wate	a MSHA/NIO thing. Fight fi eased. Therr n, hydrocarbo ntil well after ight fire upwi	SH res mal ons the nd.	0 2
		Use fire-extin As with any approved or as for surro degradation and/or deriva fire is out. L Prevent runc natural water Before clear Equipment (1 apron, boots <u>Small Spills</u> : inert materia <u>Large Spills</u> : or release. I	v intensity fire; oxidizer. aguishing media appropriate for surrounding materials. fire, firefighters should wear appropriate protective equipme equivalent self-contained breathing apparatus (SCBA) and p bunding materials. Hazardous decomposition products may produce oxides of carbon, phosphorous, selenium an tives. Fire should be fought from a safe distance. Keep conta Jse water spray to cool fire-exposed surfaces and to protect ff from fire control or dilution from entering sewers, drains, or	nt including a rotective clot may be rele d/or nitroger ainers cool u personal. F drinking wate S o must wear use gloves d protective e into a conta ay from spill. nel out of are	a MSHA/NIO thing. Fight fi eased. Therr n, hydrocarbo ntil well after ight fire upwi r supply, or a r appropriate and other pro eyewear. Us iner for later . Stay upwin- ea. Stop spill	SH res mal ons the nd. any	ning (e. nbustibl from sp f it can b



Page 3 of 6 **PBP-002**

repa		61, NOHSC, WHMIS, GHS & 1272/2	.000/EC 3	nanuards	5	DS Revis	5011. 2.0	503		n Dale:	3/14/2017
		7. HANDLING	& ST(TION				
' .1	Work & Hygiene Practices:	Avoid breathing mists or spray. Av						nment w	hen hand	lling pro	duct Keen o
		of the reach of children. Do not ea expose to heat and flame. Use of	at, drink o only in ver	r smoke	when han	dling this	product.	Wash th	oroughly	after h	andling. Do r
7.2	Storage & Handling:	decontaminate any spills or residu Use and store in a cool, dry, we	ell-ventilat								
		sunlight. Store in acid-resistant co (120 °F). Keep away from incomp	atible sub	ostances	(See Sect	ion 10). I	Protect cor	ntainers f	rom phys	sical da	mage.
7.3	Special Precautions:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep our of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues.									
		8. EXPOSURE CONT	ROIS	& PF	RSON		ROTEC				
.1	Exposure Limits:		AC			NOHSC			OSHA		OTHER
	ppm (mg/m ³)		7.0			ES-	ES-				UTILI(
		CHEMICAL NAME(S) CUPRIC SULFATE	TLV (1)	STEL NA	ES-TWA NF	STEL NF	PEAK NF	PEL (1)	STEL NA	IDLH 1000	
		SELENIOUS ACID	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA	
		PHOSPHORIC ACID	(1)	(3)	NF	NF	NF	NA	NA	1000	1
		NICKEL SULFATE	(0.1)	NA	NF	NF	NF	(1)	NA	NA	
8.2	Ventilation & Engineering Controls:	Use local or general exhaust ven handling of this product. Ensure wash station).	tilation to						ors or m		
8.3	Respiratory Protection:	In instances where vapors or spra use only protection authorized by CAS Standard Z94.4-93 and ap Australia.	29 CFR §	i910.134	l, applicab	le U.S. S	State regul	ations, or	the Can	adian	
3.4	Eye Protection:	Safety glasses with side shields i shield is also recommended.	must be u	used whe	n handling	g or usin	g this proc	duct. A p	orotective	e face	
3.5	Hand Protection:	Wear protective, chemical-resista	nt gloves	(e.g., nec	prene) wh	en using	or handlir	ng this pr	oduct.		
8.6	Body Protection:	A chemical resistant apron and/o product.	or protect	ive clothi	ng are reo	commen	ded when	handling) or usin	g this	
		9. PHYSICAL	& CH			OPER	TIES				
9.1	Appearance:	Clear, blue liquid									
9.2	Odor:	Odorless									
9.3	Odor Threshold:	NA									
9.4	pH:	< 1.0									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	> 100 °C (> 212 °F)									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	NA									
9.10	Vapor Density:	< 1.0 (air = 1.0)									
9.11	Relative Density:	1.099									
9.12	Solubility:	Complete (water)									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl eth	er = 1.0)								
		10. STA	BILIT	Y & RI	EACTI	VITY					
10.1	Stability:	Stable at normal temperatures.									
10.2	Hazardous Decomposition Products:	Reaction with organics and stro decomposition may produce seler	0	0 0			0		, ,		
10.3	Hazardous Polymerization:	Will not occur.	,	J, Pii0	O					900	
10.4	Conditions to Avoid:	Excessive heat.									



Page 4 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 3/14/2017

		11. TOXICOLOGICAL INFORMATION		
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES		
11.2	Toxicity Data:	Solution: LD ₅₀ (oral, rat) = 1,030 mg/kg; Phosphoric Acid: LD ₅₀ (oral, rat) = 1,530 mg/kg; LD ₅₀ (oral, rat) = 4,640 mg/kg; Nickel Sulfate: LD ₅₀ (oral, rat) = 361 mg/kg; LC ₅₀ (4h, rat) = 2.48 mg/L; Fluoboric Acid: LD ₅₀ (oral, rat) – 100 mg/kg;		
11.3	Acute Toxicity:	See Section 4.4		
11.4	Chronic Toxicity:	See Section 4.5		
11.5	Suspected Carcinogen:	Nickel Sulfate is listed as a human carcinogen (IARC Group 1, NTP).		
11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product contains nickel sulfate, which is reported to cause teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.		
11.7	Irritancy of Product:	See Section 4.2		
11.8	Biological Exposure Indices:	NE		
11.9	Physician Recommendations:	Treat symptomatically.		
		12. ECOLOGICAL INFORMATION		
12.1	Environmental Stability:	No data available.		
12.2	Effects on Plants & Animals:	No data available.		
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects. <u>Phosphoric Acid</u> : EC ₅₀ (Daphnia magna, 12h) = 4.6 mg/L		
		13. DISPOSAL CONSIDERATIONS		
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropria		
		disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, ar		
		federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.		
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)		
		14. TRANSPORTATION INFORMATION ber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.		
14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L)		
14.2	IATA (AIR):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 0.1 L)		
14.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L)		
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L)		
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L)		
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO FOSFORICO), 8, II, (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L)		
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L)		
		15. REGULATORY INFORMATION		
15.1	SARA Reporting Requirements:			
		313 reporting requirements.		
15.2	SARA TPQ:	NA		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.		
	CERCLA Reportable Quantity:	Selenious Acid: 10 lbs (4.54 kg); Cupric Sulfate: 10 lbs (4.54 kg); Phosphoric Acid: 5,000 lbs (2,270 kg)		
	Other Federal Requirements:	NA		
15.4 15.5 15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS		



Page 5 of 6 PBP-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 3/14/2017 SDS Revision: 2.0 15. REGULATORY INFORMATION – cont'd 15.7 State Regulatory Information: Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). Nickel Sulfate is found on the following state criteria lists: MA, and PA. Fluoboric Acid is found on the following state criteria lists: NJ. Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements NA **16. OTHER INFORMATION** DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY CAUSE 16.1 Other Information: DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. Keep/Store away from clothing/ combustible materials. Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. KEEP OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Precision Brand Products. Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy. suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Precision Brand Products, Inc. RECISION 2250 Curtiss Street Downers Grove, IL 60515 USA Tel: +1 (630) 969-7200 Fax: +1 (630) 969-0310 http://www.precisionbrand.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 Training & Consult http://www.shipmate.com



Page 6 of 6 **PBP-002**

REACTIVITY

SPECIAL PRECAUTIONS

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 3/14/2017

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists		
IDLH	Immediately Dangerous to Life and Health		
NOHSC	National Occupational Health and Safety Commission (Australia)		
OSHA U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit			
STEL Short Term Exposure Limit			
TLV Threshold Limit Value			
TWA	Time Weighted Average		

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

	0	Minimal Hazard	HEALTH
	1	Slight Hazard	FLAMMABILITY
ĺ	2	Moderate Hazard	PHYSICAL HAZARDS
ĺ	3	Severe Hazard	PERSONAL PROTECTION
ĺ	4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA					
FLAMMABILI	TY LIMITS IN AIR:				
Autoignition Minimum temperature required to initiate combustion in air with no other so Temperature of ignition					
LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that w explode or ignite in the presence of an ignition source					
LIEI	Lippor Explosive Limit - highest percent of vapor in air, by volume, that will				

explode or ignite in the presence of an ignition source

Upper Explosive Limit - highest percent of vapor in air, by volume, that will

HAZARD RATINGS:

UEL

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	FLAMIMADILITT
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	HEALTH
ох	Oxidizer	
TREFOIL	Radioactive	

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals	
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal	
ppm Concentration expressed in parts of material per million parts		
TD _{Io}	Lowest dose to cause a symptom	
TCLo	Lowest concentration to cause a symptom	
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects	
TC, TC _o , LC _{io} , & LC _o		
IARC	International Agency for Research on Cancer	
NTP	National Toxicology Program	
RTECS	Registry of Toxic Effects of Chemical Substances	
BCF	Bioconcentration Factor	
TLm	Median threshold limit	
log Kow or log Koc	Coefficient of Oil/Water Distribution	

REGULATORY INFORMATION:

WHMIS	WHMIS Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	DSL Canadian Domestic Substance List		
NDSL Canadian Non-Domestic Substance List			
PSL Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٢		Ð	(
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment