

# SAFETY DATA SHEET

Issuing Date 13-Sept-2013 Revision Date 22-Oct-2014 Revision Number 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name SCRUBS® In-A-Bucket

Other means of identification

Product Code(s) 42201, 42210, 42225, 42230, 42256, 42272

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Heavy Duty Hand Cleaner

Uses advised against None reasonably foreseeable

Supplier's details

**Supplier Address** ITW Pro Brands 805 E. Old 56 Highway Olathe, KS 66061

TEL: 1-800-443-9536

**Emergency telephone number** 

**Emergency Telephone** 

Number

800-535-5053 Infotrac

# 2. HAZARDS IDENTIFICATION

# Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

# GHS Label elements, including precautionary statements

# **Emergency Overview**

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health

Appearance Colorless-blue/white Physical State Liquid. Odor Citrus

**Precautionary Statements** 

Prevention

None

\_\_\_\_\_

#### **General Advice**

None

#### Storage

None

#### **Disposal**

None

# **Hazard Not Otherwise Classified (HNOC)**

Not applicable

# Other information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                      | CAS-No     | Weight % | Trade secret |
|------------------------------------|------------|----------|--------------|
| Alcohols, C12-15, ethoxylated      | 68131-39-5 | 1-5      | *            |
| Isoparaffinic Hydrocarbon          | 64742-47-8 | 1-5      | *            |
| Dimethyl adipate                   | 627-93-0   | 1-5      | *            |
| Diethylhexyl sodium sulfosuccinate | 577-11-7   | 1-5      | *            |
| D-Limonene                         | 5989-27-5  | 1-5      | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# **Description of necessary first-aid measures**

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

**Skin Contact**None normally required. Material is designed for skin cleansing. Get medical attention if

irritation develops and/or persists.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Not an expected route of exposure. If large quantities of this material are swallowed, call a

physician immediately.

# Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Not expected to give rise to an acute hazard under normal condition of use.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO 2). Foam. Water spray or fog.

# Unsuitable Extinguishing Media None

### **Specific Hazards Arising from the Chemical**

None in particular

Hazardous Combustion Products Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Hydrocarbons. Hydrogen sulfide. Sulfur dioxide.

Soot.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### **Protective Equipment and Precautions for Firefighters**

Use water spray to cool surrounding containers.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment.

**Environmental Precautions** 

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the

environment. See Section 12 for additional Ecological Information Dispose of

contents/container to an approved waste disposal plant.

### Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Small spillage: Wipe up with absorbent material (e.g. cloth, fleece). Large spillage: Use a

non-combustible material like vermiculite, sand or earth to soak up the product and place

into a container for later disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling Avoid contact with eyes. Do not smoke. Handle in accordance with good industrial hygiene

and safety practice.

#### Conditions for safe storage, including any incompatibilities

Storage Keep container closed when not in use. Keep container tightly closed in a dry and

well-ventilated place. Keep away from heat and sources of ignition. Do not contaminate

food or feed stuffs. Keep out of the reach of children.

**Incompatible Products** Strong oxidizing agents. Strong acids.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters** 

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

**Appropriate engineering controls** 

**Engineering Measures** Eyewash stations.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection**No special protective equipment required. **Skin and Body Protection**No special protective equipment required.

**Respiratory Protection**None required under normal usage. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

None known

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical StateLiquidAppearanceColorless-blue/whiteOdorCitrusOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

None known pН 6 No data available Melting Point/Range None known **Boiling Point/Boiling Range** 212 °F None known Flash Point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limit
lower flammability limit
Vapor Pressure
Vapor Density

No data available
No data available
No data available

Vapor Density>1None knownRelative DensityNo data availableNone knownSpecific Gravity0.995None known

**Water Solubility** Miscible with water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Not flammable

**Explosive Properties**No data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 0%

# 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

\_\_\_\_\_

#### **Conditions to avoid**

Incompatible products.

# **Incompatible materials**

Strong oxidizing agents. Strong acids.

#### Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons. Hydrogen sulfide. Sulfur dioxide. Soot.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

InhalationNot an expected route of exposureEye ContactContact with eyes may cause irritation.

Skin ContactMay cause mild skin irritation.IngestionNot an expected route of exposure.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

# Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization**No information available. **Mutagenic Effects**No information available.

**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

| Chemical Name | ACGIH | IARC    | NTP | OSHA |
|---------------|-------|---------|-----|------|
| D-Limonene    |       | Group 3 | -   | -    |

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity**This product does not contain any known or suspected reproductive hazards.

STOT - single exposure None of the ingredients are known to cause specific target organ effects from a single

exposure.

STOT - repeated exposure None of the ingredients are known to cause specific target organ effects through prolonged

or repeated exposure.

**Aspiration Hazard** None of the ingredients are known to be an aspiration hazard.

#### Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral42888mg/kg; Acute toxicity estimateLD50 Dermal329859mg/kg; Acute toxicity estimate

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to    | Daphnia Magna (Water |
|---------------|-------------------|------------------|----------------|----------------------|
|               |                   |                  | Microorganisms | Flea)                |

| Isoparaffinic Hydrocarbon   |  | LC50 96 h: = 45 mg/L  |  | LC50 96 h: = 4720 mg/L  |
|---|--|---|--|---|
| 64742-47-8  |  | flow-through (Pimephales  |  | (Den-dronereides  |
|   |  | promelas) LC50 96 h: = 2.2  |  | heteropoda)   |
|   |  | mg/L static (Lepomis  |  |   |
|   |  | macrochirus) LC50 96 h: =   |  |   |
|   |  | 2.4 mg/L static   |  |   |
|   |  |   |  |   |
|   |  | (Oncorhynchus mykiss)   |  |   |
| Diethylhexyl sodium   |  | LC50 96 h: 20 - 40 mg/L   |  | EC50 48 h: = 36 mg/L  |
| sulfosuccinate  |  | semi-static (Oncorhynchus   |  | (Daphnia magna)   |
| 577-11-7  |  | mykiss) LC50 96 h: < 24   |  |   |
|   |  | mg/L static (Oncorhynchus   |  |   |
|   |  | mykiss) LC50 96 h: = 37   |  |   |
|   |  | mg/L static (Lepomis  |  |   |
|   |  | macrochirus)  |  |   |
| D-Limonene  |  | LC50 96 h: 0.619 - 0.796  |  |   |
|   |  |   |  |   |
| 5989-27-5   |  | mg/L flow-through   |  |   |
|   |  | (Pimephales promelas) LC50  |  |   |
|   |  | 96 h: = 35 mg/L   |  |   |
|   |  | (Oncorhynchus mykiss)   |  |   |
| Dimethyl glutarate  |  | LC50 96 h: 19.6-26.2 mg/L   |  | EC50 48 h: 122.1 - 163.5  |
| 1119-40-0   |  | static (Pimephales promelas)  |  | mg/L (Daphnia magna)  |
|   |  |   |  |   |
| 1,3-Propanediol,  | EC50 72 h: > 1000 mg/L   | LC50 96 h: > 1000 mg/L  |  | EC50 24 h: > 1000 mg/L  |
| 2,2-dimethyl-   | (Pseudokirchneriella   | semi-static (Oryzias latipes)   |  | (Daphnia magna)   |
| 126-30-7  | subcapitata)   |   |  |   |
|   | EC50 72 h: > 500 mg/L  |   |  |   |
|   | (Desmodesmus subspicatus)  |   |  |   |
| Isopropyl myristate   | EC50 72 h: > 100 mg/L  | LC50 96 h: = 8400 mg/L  | _  | EC50 48 h: = 100 mg/L   |
| 110-27-0  | (Desmodesmus subspicatus)  |   |  | (Daphnia magna)   |
| 110-21-0  | (Desiriodesirius subspicatus)  |   |  | (Daprillia Illaglia)  |
|   |  | LC50 96 h: = 8400 mg/L  |  |   |
|   |  | semi-static (Brachydanio  |  |   |
|   |  | rerio)  |  |   |
| 2 Dhonovarathanal   | EOE0 70 -  | 1050001 007 050 #   | 1000   | FOE0 40 1   |
| z-Prienoxyethanoi   | EC50 /2 h: > 500 mg/L  | LC50 96 h: 337 - 352 mg/L   | EC50 = 32.4  mg/L  5  min                      | EC50 48 h: > 500 mg/L   |
| 2-Phenoxyethanol<br>122-99-6  | EC50 72 h: > 500 mg/L<br>(Desmodesmus subspicatus)                                   | LC50 96 h: 337 - 352 mg/L flow-through (Pimephales  | EC50 = 32.4 mg/L 5 min<br>EC50 = 880 mg/L 17 h | EC50 48 h: > 500 mg/L<br>(Daphnia magna)  |
| 2-Pnenoxyetnanoi<br>122-99-6  | (Desmodesmus subspicatus)  | flow-through (Pimephales  | EC50 = 32.4 mg/L 5 min<br>EC50 = 880 mg/L 17 h | (Daphnia magna)   |
|   |  | flow-through (Pimephales promelas) LC50 96 h: = 366   |  |   |
|   |  | flow-through (Pimephales<br>promelas) LC50 96 h: = 366<br>mg/L static (Pimephales   |  |   |
|   |  | flow-through (Pimephales<br>promelas) LC50 96 h: = 366<br>mg/L static (Pimephales<br>promelas) LC50 96 h: 220 -   |  |   |
|   |  | flow-through (Pimephales<br>promelas) LC50 96 h: = 366<br>mg/L static (Pimephales   |  |   |
|   |  | flow-through (Pimephales<br>promelas) LC50 96 h: = 366<br>mg/L static (Pimephales<br>promelas) LC50 96 h: 220 -   |  |   |
| 122-99-6  | (Desmodesmus subspicatus)  | flow-through (Pimephales<br>promelas) LC50 96 h: = 366<br>mg/L static (Pimephales<br>promelas) LC50 96 h: 220 -<br>460 mg/L static (Leuciscus<br>idus)  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)   |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L                                   | flow-through (Pimephales<br>promelas) LC50 96 h: = 366<br>mg/L static (Pimephales<br>promelas) LC50 96 h: 220 -<br>460 mg/L static (Leuciscus<br>idus)<br>LC50 96 h: = 51600 mg/L   |  | (Daphnia magna)  EC50 24 h: > 10000 mg/L  |
| 122-99-6  | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L                                   | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static  |
| 122-99-6 Propylene glycol   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static  |
| Propylene glycol<br>57-55-6   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)                        |
| Propylene glycol<br>57-55-6   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol<br>57-55-6   | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella              | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)                        |
| Propylene glycol<br>57-55-6<br>Glycerin<br>56-81-5                      | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol<br>57-55-6<br>Glycerin<br>56-81-5                      | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)   | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)  LC50 96 h: 0.14-0.32 mg/L  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)  LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)  LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)  LC50 96 h: 0.14-0.32 mg/L  | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)  LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis macrochirus)                            | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)  LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis macrochirus)  LC50 96 h: 0.18-0.23 mg/L | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |
| Propylene glycol 57-55-6  Glycerin 56-81-5  Iodopropynyl butylcarbamate | (Desmodesmus subspicatus)  EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | flow-through (Pimephales promelas) LC50 96 h: = 366 mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)  LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)  LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)  LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)  LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis macrochirus)                            | EC50 = 880 mg/L 17 h                           | (Daphnia magna)  EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)  EC50 24 h: > 500 mg/L |

**Persistence and Degradability** 

No information available.

Bioaccumulation

No information available.

# **Other Adverse Effects**

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

# **Contaminated Packaging**

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name         | California Hazardous Waste |
|-----------------------|----------------------------|
| D-Limonene D-Limonene | Toxic                      |

# 14. TRANSPORT INFORMATION

DOT

Not regulated

# 15. REGULATORY INFORMATION

### International Inventories

# <u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory. All components of this product are either listed or are exempt on the TSCA inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

# Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION |               |   |              |   |                   |                                    |
|-----------------------|---------------|---|--------------|---|-------------------|------------------------------------|
| NFPA                  | Health Hazard | 1 | Flammability | 0 | Instability 0     | Physical and Chemical<br>Hazards - |
| HMIS                  | Health Hazard | 1 | Flammability | 0 | Physical Hazard 0 | Personal Protection X              |

<sup>\*</sup>Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date13-Sep-2013Revision Date13-Sep-2013Revision NoteInitial Release.

#### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**